

Surfaces that connects

High Gloss | 1200X1800MM

#### ABOUT US

**JCBL Group** is a leading business conglomerate. From an early foray into mobility solutions space to staying abreast of the latest technologies, JCBL Group today has a strong presence across diverse sectors of economy such as automotive, construction & infra building, logistics, healthcare, parts & components for railways and buses, agriculture, defence and many more. At present we have 5 manufacturing plants, 21 Automobile dealerships with various offices catering to our diverse customer profile. Our Group turnover is over USD 280 million.

**JCBL India** is an international face of JCBL Group and currently we are exporting our products to South East Asia, Middle East, Africa, Europe, South America, USA and Russia.

**JCBL Furnishing and Construction** division is the one stop destination for complete range of JCBL High Pressure Laminates, Sanitary ware, Tiles and Bath Fittings.

**JCBL Tiles** offer you a technically-advanced collection of Vitrified and Wall tiles with an extensive range of tile décor options to decorate your residential and commercials areas. Our tiles collection is driven by Innovation and Quality to provide the ultimate customer satisfaction.

The offered range of Tiles can find its application in wide areas like Residential and Commercial buildings, Hotels, Airports, Shopping Malls, Hospitals as well as other renovation and restoration projects.

We are well equipped with latest trending designs supported by state-of-the-art manufacturing facilities and amenities with an ever improving mind set on every aspect.



# 2021 – A



### THE BEAUTY OF LARGE SURFACES

Connecting you to the luxurious feel of our signature products, our exclusive collection is available in new sizes and new designs i.e. 1200x1800 & 800x1600 for your modern and urban spaces.

Designed for the modern lifestyle aspirations that you desire, the collection reflects your aspirations. Adding this collection to your home will address every aspect of your design and lifestyle needs.

There is one aspect about our tiles that sets them apart from all the other tiles on the market. There is ample space to innovate and create since the pieces are larger and with fewer cuts. From cement and stone woods to beige and classic, the tile collection offers a design suitable for almost every space.



## **Suitable Applications**





## **Technical Specification**



Long Durability



Easy to Clean



Impact Resistance



Hygienic Surface



Fire Resistance



Chemical Resistance



Frost Resistance



Low Water Absorption



Dimensional Stability



Easy Installation



Thermal Resistance



Crazing Resistance





тм


	Skin Breccia	08
9 XV		
100	Statuario Lunensis	11
	Velencia Moca	14
	Platinum Brown	17
	Grey Lightenning	20
	Sidney Moka	23
	Honey Onyx	26
and the	Zuby Gris	29
	Filetado Stone Dark	32
	Zante Black	35
	Quarry Rock	38
St Car	Swiss Grey	41
	Manhattan Beige	44
	Black Thunder	47




Index

тм


ALC: ALC: N	Marfil	50
1. 18-1		
24757 0	Endmatch Grey	53
	Venice Blanco	56
	Grafite Gris	59
	Pista Dark	62
1		
	Alps Heart	65
	Romania Beige	68
	Technical Specification	71









Skin **Breccia** 







Statuario **Lunensis** 

#### 1200x1800mm

**High Gloss** 



JCBL India your global partner









Velencia **Moca** 



your global partne

## Platinum Brown High Gloss | 1200X1800mm











Platinum **Brown** 









Grey Lightenning 1200x1800mm

**High Gloss** 














Sidney **Moka** 


# Honey Onyx Gloss | 1200X1800mm














Honey **Onyx** 












Zuby **Gris**  1200x1800mm

**High Gloss** 





#### **JCBL** India


your global partner










Filetado **Stone Dark** 








Zante **Black** 






#### **JCBL** India








Quarry **Rock** 







Swiss **Grey** 







Manhattan **Beige**  1200x1800mm

## Black Thunder High Gloss | 1200X1800mm

JCBL India









Black **Thunder** 









Marfil




your global partner


## Endmatch Grey High Gloss | 1200X1800mm






Endmatch **Grey**  1200x1800mm







Blanco





your glob<mark>al partner</mark>







Grafite **Gris** 



тΝ


your global partner

## **Pista Dark** High Gloss | 1200X1800mm











Pista **Dark**  1200x1800mm




your global partner

# Alps Heart High Gloss | 1200X1800mm





Alps **Heart** 









Romania **Beige** 

## 1200x1800mm

### **Technical Specification**

Characteristics	Test Method		B1a Std Values		Values		
Dimensions and surface quality	ISO 13006:2012(E)	IS 15622-2017, Group B1a, E ≤ 0.08 %	%	мм	%	мм	
Deviation in Length	ISO 10545-2	IS 13630 -Part-1	± 0.6%	± 2.0 MM	± 0.03%	± 0.50 MN	
Deviation in Width	ISO 10545-2	IS 13630 -Part-1	± 0.6%	± 2.0 MM	± 0.03%	± 0.50 MI	
Deviation in Width	ISO 10545-2	IS 13630 -Part-1	± 0.6%	± 2.0 MM	± 0.03%	± 0.50 MI	
Deviation in Thickness	ISO 10545-2	IS 13630 -Part-1	± 5.0 %	± 0.5 MM	± 3.50%	± 0.30 MI	
Streightness of sides	ISO 10545-2	IS 13630 -Part-1	± 0.5%	± 1.5 MM	± 0.02%	± 0.35 MI	
Rectangularity	ISO 10545-2	IS 13630 -Part-1	± 0.5%	± 2.0 MM	± 0.05%	± 0.90 MI	
Surface Flatness	ISO 10545-2	IS 13630 -Part-1	± 0.5%	± 2.0 MM	± 0.06%	± 1.20 MI	
rface Quality 95% Free from visible defects	ISO 10545-2	IS 13630 -Part-1	95%		Conform		
Physical property							
WA %	ISO 10545-3	IS 13630 -Part-2	Eb ≤ 0.5 % Individual maximum 0.6 %		≤ 0.08%		
MOR N/MM <sup>2</sup>	ISO 10545-4	IS 13630 -Part-6	Min 35 Indi min 32		Min 42 Indi min 32		
Breaking Strength N ForThick >7.5 MM)	ISO 10545-4	IS 13630 -Part-6	>1300		>2000 (On 600X600)		
Impact Resistance- Co-Efficientof	ISO 10545-5	IS 13630 -Part-14	Not compulsory		>0.55		
eep Abrasion Resistance For unglazed tiles	ISO 10545-6	IS 13630 -Part-12	Max 175 MM <sup>3</sup>		Only For Unglazed tiles		
esistance to surface abrasion - glazed tiles	ISO 10545-7	IS 13630 -Part-11, Class-2	Report Abration Class		Min. Class 3 or as per product required		
Co-Efficient of linear Thermal Expansion	ISO 10545-8	IS 13630 -Part-4	Ambient to 100°C		Max 6X10 <sup>-6</sup>		
ermal Shock Resistance 15/145 °C 10 Cycle	ISO 10545-9	IS 13630 -Part-5	Not compulsory		10 Cycle min		
Moisture Expansion MM/M	ISO 10545-10	IS 13630 -Part-3	Not compulsory		Max 0.02 MM/M		
Resistance to Crazing	ISO 10545-11	IS 13630 -Part-9	Required		4 Cycle Pass, @ 7.5 Kg Steam Pressure		
Frost Resistance	ISO 10545-12	IS 13630 -Part-10	Required		Conform		
Resistance to household chemicals and swimming pool salts: Glazed tiles	ISO 10545-13	IS 13630 -Part-7	Min GB		Min GB		
Scratch Hardness of Surface	IS 13630-13	IS 13630 -Part-13	Min 5		Min 5, or as required		
Bulk Density Gm/CC		IS 13630 -Part-2	2.20 Min		>2.25		
Chemical property							
Resistance to Stain Glazed Tiles	ISO 10545-14	IS 13630 -Part-8, Class 1	Min Class 3		Conform		
Lead and cadmium release- glazed tiles	ISO 10545-15		Not compulsory		Not compulsory		
Small Colour Differences	ISO 10545-16				Not com	Not compulsory/ Plain coloured tiles	

#### **Packing Detail**

Size	Pic/Box	Weight (Approx)	Thickness (Approx)	SQ./ Box
1200x1800	2	92 Kg	9mm	46.50
800x1600	2	53 Kg	9mm	27.55



#### **Regd. Office:**

#### JCBL India Pvt. Ltd.

Plot No. 580, Industrial Area Phase-9, Sector-66, S.A.S Nagar, Mohali - 160062, Punjab, INDIA

Mobile: +91 98759 37754, +91 98759 08319 E-Mail: sales@jcblfurnishing.com Website: www.jcblfurnishing.com